



Oct, 1911

Pieces Left

LUMBER AT SECTION 16, ATLANTIC MINE

0	2400	Board Feet	1" Hemlock	10 ft.	2400
30	2000	"	"	12 ft.	1970
1100	1100	"	"	14 Ft.	
0	200	"	"	16 Ft.	200
20	62	Pcs.	2 x 6 - 10 Hemlock	42	
82	82	"	2 x 6 - 11 "		
0	33	"	2 x 6 - 20 "	23	
0	10	"	2 x 8 - 13 $\frac{1}{2}$ "	10	
0	6	"	2 x 8 - 19 $\frac{1}{4}$ "	5	
0	26	"	2 x 8 Collar Beams 1/3 pitch, 19 ft. will cut 17.	26	
0	27	"	2 x 8 " " out 19' - 8"	27	
30	69	"	2 x 8 Rafters, 22' 3" out 19' 8"	39	
8	8	"	2 x 6 Collar 14' out 13'		
54	54	"	2 x 4 Spruce, 15'		
0 -	37	"	2 x 4 " 12'	37	
20	20	"	2 x 4 " 9'		
	14	"	2 x 6 Rafters 13'-7"		

In Dry & Hoist

5000	Ft.	2 x 12 S2S Pine Runs, 12-13
0	3200	" 1" Common Hemlock 3200
		3 x 6 Studding
8800	9200	" 1" Com. Roof. 400
40	Pcs.	2 x 6 Rafter 20 ft.
80	"	2 x 6 Collar Beams

Steel Roof at 16 hoist

Spans 30 x 50 Ft.  
38 x 50 "

At Mine

46	164	Pcs.	2 x 4 @ 14 Spruce	118
159	390	"	2 x 4 - 16 "	231
	61	"	2 x 6 - 16 Hemlock	
	77	"	2 x 4 - 16 Pine No. 2	
372	382	"	2 x 12 - 14 Hemlock	10
	1550	"	1" Com. Pine 14 ft.	
	1280	"	1" " " 16 ft.	

Cull 150 Com. Pine  
1470 " "  
1800 ft. 2" com. 16 ft. not best

120  
64

Oct, 1911

NEW DISPENSARY, PAINESDALE, MICH.

70	Pos.	2" x 4" - 12'	S.	1.	S.	1.	E.	Henlock
150	"	2 x 4 - 18	"	"	"	"	"	"
140	"	2 x 4 - 18	"	"	"	"	"	"
140	"	2 x 4 - 16	"	"	"	"	"	"
66	"	2 x 6 - 20	"	"	"	"	"	"
34	"	2 x 8 - 14	"	"	"	"	"	"
34	"	2 x 8 - 16	"	"	"	"	"	"
66	"	2 x 10 - 14	"	"	"	"	"	"
66	"	2 x 10 - 16	"	"	"	"	"	"
9,729	Feet	8" Shiplap						

LUMBER AT SECTION 16, ATLANTIC MINE.

2400	Board Feet	1" Hemlock	10 ft.
2000	" "	" "	12 "
1100	" "	" "	14 "
200	" "	" "	16 "

62	Pcs.	2 x 6 # 10 Hemlock	
82	"	2 x 6 - 11 "	
33	"	2 x 6 - 20 "	
10	"	2 x 8 - 13 $\frac{1}{2}$ "	
5	"	2 x 8 - 19 $\frac{1}{2}$ "	
26	"	2 x 8 Collar Beams, 1/3 pitch, 19 ft. will cut 17.	
27	"	2 x 8 " " cut 19' - 8"	
69	"	2 x 8 Rafters, 22' 3", cut 19'-8"	
14	"	2 x 6 " 13'-7"	
8	"	2 x 6 Collar 14' cut 13'	
54	"	2 x 4 Spruce, 15'	
37	"	2 x 4 " 12'	
20	"	2 x 4 " 9'	

## In Dry &amp; Hoist

5000	Ft.	2 x 12 S2S Pine Runs, 12-13
3200	"	1" Common Hemlock
		3 x 6 Studding
9200	"	1" Com. Roof.
40	Pcs.	2 x 6 Rafter 20 ft.
80	"	2 x 6 Collar Beams

## Steel Roof at 16 Hoist

Spans	40 x 50 ft.
	38 x 50 " - or 36 - 50 Ft.

## At Mine

164	Pcs.	2 x 4 - 14 Spruce
390	"	2 x 4 - 16 "
61	"	2 x 6 - 16 Hemlock
77	"	2 x 4 - 16 Pine No. 2
382	"	2 x 12 - 14 Hemlock
1550	F	1" Com.P 14 Ft.
1280	"	1" " " 16"
		Cull 150 Com. Pine
		1470 " "
		1800 Ft. 2" Com. 16 ft. not best

LUMBER AT SECTION 16, ATLANTIC MINE.

0	2400	Board Feet	1" Hemlock	10 ft.	✓ 2400
75030	2000	" "	" "	12 "	✓ 1250 + 720
1100	1100	" "	" "	14 "	✓
0	200	" "	" "	16 "	✓ 200

20	62	Pes.	2 x 6 # 10 Hemlock	10 42
22	82	"	2 x 6 - 11 "	
0	33	"	2 x 6 - 20 "	✓
0	10	"	2 x 6 - 13 1/2 "	✓
0	5	"	2 x 6 - 19 1/2 "	✓
0	26	"	2 x 8 Collar Beams, 1/3 pitch, 19 ft. will cut 17. ✓	
0	27	"	2 x 8 " " out 19' - 8" ✓	
30	69	"	2 x 8 Rafters, 22' 3", out 19' - 8" 39	
14	14	"	2 x 6 " 15' - 7"	
8	8	"	2 x 6 Collar 14' out 13'	
54	54	"	2 x 4 Spruce, 15' 15	
0	37	"	2 x 4 " 12' 20	
20	20	"	2 x 4 " 9' ✓	

In Dry & Hoist

0	5000	Ft.	2 x 12 32S Pine Runs, 12-13
	3200	"	1" Common Hemlock ✓ 3200
			3 x 6 Studding

8800	9200	"	1" Com. Roof. 4700 400
------	------	---	------------------------

40	Pes.	2 x 6 Rafter	20 ft.
80	"	2 x 6 Collar Beams	

Steel Roof at 16 Hoist

Spane	40 x 50 ft.
	38 x 50 " - or 36 - 50 Ft.

At Mine

46	164	Pes.	2 x 4 - 14 Spruce	70 + 6 + 42
159	390	"	2 x 4 - 16 "	173 + 40 + 49 + 20
	61	"	2 x 6 - 16 Hemlock	
	77	"	2 x 4 - 16 Pine No. 2	
372	382	"	2 x 12 - 14 Hemlock 10	
	1550	"	1" Com. P 14 Ft.	
	1280	"	1" " " 16"	
		Gull	150 Com. Pine	
			1470 " "	
			1800 Ft. 2" Com. 16 ft. not best	

Requisition No.

ENGINEER'S OFFICE

F. P. No.

Drawn by

CHAMPION COPPER CO.

Checked by

PAINESDALE, MICH.

Date 191

SUBJECT

	8x8-10	2x12-12	2x10-16	2x10-14	2x8-16	2x8-14	2x8-12	2x8-8	2x6-20	2x4-18	2x4-16	2x4-14	2x4-12	2x4-10	2x4-8	2x4-6
Dispen.	0	0	66	14	34	34	0	0	66	290	140	0	70	0	0	0
Trim't. ✓	2	10	0	32	0	11	22	11	0	24	3	70	21	30	80	11
Total	2	10	66	46	34	45	22	11	66	314	143	70	91	30	80	11
Get from Atlantic	0	✓ 10-2x12-14 Hem (T) ✓	0	0	26-2x8-19, cut 17 } (P) ✓ 5-2x8-14-6 } 3 " -19-8 }	24-19-8" ✓ 10-22-8 Rafter's } P. 11- " " } T	10-13-6" } T ✓ 12-22-3 Rafter's }	6-22-3 Rafter's (T)	33-20 (P) ✓ 20-2 Rafter's	0	140 Spruce, P. ✓ 3 " " T ✓	70 spruce, T. ✓	21 T. ✓ 16 P. ✓	0	40 - 16' Spruce, (T) ✓	6, Spruce, 14' (T) ✓
To order	2		66	46	0	0	0	0	33	314	0	0	54	30		

Requisition No. \_\_\_\_\_

ENGINEER'S OFFICE

F. P. No. \_\_\_\_\_

Drawn by \_\_\_\_\_

# CHAMPION COPPER CO.

2

Checked by \_\_\_\_\_

PAINESDALE, MICH.

Date \_\_\_\_\_ 191

SUBJECT \_\_\_\_\_

	Lin ft					Ft. B.M.			
	1x4 1/2 Pine	1x12	1x6	1x10	2x10-12	6" Flooring	Ceiling	Shiplap	Sheathing
Disp.	0	0	0	0	0	0	0	9729	0
Trim't.	1700	250	200	550	130	1200	200	1250	2600
Total	1700	250	200	550	130	1200	200	10979	2600
Atlantic	0	0	0	0	0	0	0	<del>2000 1" Hem. 10'</del> <del>1700 1" Hem. 10'</del> <del>3000 1" Hem. 10'</del> <del>9000 1" Hem. 10'</del> 1250 1" Hem. 10' ✓	2400 1" Hem. 10' 200 " 16" T.
order	1700	250	200	550	130	1200	200	9729 (P)	

Requisition No.

ENGINEER'S OFFICE

F. P. No.

Drawn by

# CHAMPION COPPER CO.

3

Checked by

PAINESDALE, MICH.

Date Oct. 17 1911

SUBJECT Lumber to be Shipped from Atlantic Summary of 18<sup>th</sup>

	No. Pieces	Size	Length	Lin. Ft.	Ft. B.M.	
scantlings etc	10	2x12	14'-0"		280	Hemlock
	29	2x8	22'-3"		849	Hem. Rafter, to cut 19'-8"
	10	"	13-6		180	
	43	2x4	16-0		458	spruce +48 (52)
	76	"	14-0		728	" +42 for beams, shoulders (50)
1" Hem Lock	21	"	12-0		168	
"			12-0		1250	+3600
			10-0		2400	
			16-0		200	
	42	2x6	10-0		420	beams
					720	4" Hemlock
					7653	
					3600	
					392	
					512	
					12157	
	26	2x8	19-0		650	tr cut. 17-0
	5	"	19-6		130	
	27	"	19-8		713	
	10	"	22-3		297	Rafter, to cut 19'-8"
	33	2x6	20-0		660	
	140	2x4	16-0		1494	spruce
	16	"	12-0		128	
1" Hem.			12-0		2000	
"			14-0		1100	
"			2		3200	Common Hem.
"			2		347	beams
					4072	

T. Mountain

Painesdale



# COPPER RANGE CONSOLIDATED COMPANY.

## PURCHASING DEPARTMENT.

COPPER RANGE R. R. CO.  
CHAMPION COPPER CO.  
TRIMOUNTAIN MINING CO.  
BAL TIC MINING CO.  
MICHIGAN SMELTING CO.

JOHN M. WAGNER,  
Purchasing Agent,  
OFFICE : Citizens' National Bank Building

HOUGHTON, MICH., July 18, 1907.

Mr. C.E. Cleaver, C.E.,

Painesdale, Mich.

Dear Sir:-

We enclose herewith for your files a card showing standard patterns of drop siding and shiplap, the following numbers of which can be obtained in this market, viz:

Drop siding, 6" wide, as follows:


Nos. 102, 104, 106, 108, 110, 112 and 116.

Shiplap, 6" or 8" wide, as follows:

Nos. 101, 103, 105, 107 and 111.

These several styles can be procured at no extra cost over that of common shiplap, if ordered in fairly good sized lots.

Yours very truly,

  
Purchasing Agent.

*Lumber etc*